

<b>Access to Health Services*</b>				
Data from the Behavioral Risk Factor Surveillance System, 2008 ( <a href="http://www.cdc.BRFSS/">http://www.cdc.BRFSS/</a> )				
	<b>Metropolitan</b>	<b>Non-Metropolitan</b>		
		<b>All Non-Metro</b>	<b>Micropolitan</b>	<b>Non-CBSA**</b>
	<b>% of popn</b>	<b>% of popn</b>	<b>% of popn</b>	<b>% of popn</b>
No form of health coverage (age 18-64 years)	17.0	20.6	19.9	22.0
Needed to see doctor but could not because of cost—past year	13.6	15.6	14.9	16.9
No personal doctor	19.3	18.1	17.8	18.5
No dental care in previous year	28.3	35.6	34.7	37.1
<b>Health Behavior/Risk Factors*</b>				
Data from the Behavioral Risk Factor Surveillance System, 2008 ( <a href="http://www.cdc.BRFSS/">http://www.cdc.BRFSS/</a> )				
	<b>Metropolitan</b>	<b>Non-Metropolitan</b>		
		<b>All Non-Metro</b>	<b>Micropolitan</b>	<b>Non-CBSA</b>
	<b>% of popn</b>	<b>% of popn</b>	<b>% of popn</b>	<b>% of popn</b>
Current Smoker	17.8	22.0	21.7	22.6
Obese (Body Mass Index $\geq 30$ )	25.9	30.5	30.5	30.5
<b>Age-Adjusted Mortality*</b>				
Data from National Vital Statistics Compressed Mortality, 1999-2006 ( <a href="http://wonder.cdc.gov/">http://wonder.cdc.gov/</a> )				
	<b>Metropolitan</b>	<b>Non-Metropolitan</b>		
		<b>All Non-Metro</b>	<b>Micropolitan</b>	<b>Non-CBSA</b>
	<b>Per 100,000 popn</b>	<b>Per 100,000 popn</b>	<b>Per 100,000 popn</b>	<b>Per 100,000 popn</b>
All-cause	823.1	893.8	884.4	908.4
Infant (age<1)	690.9	755.0	746.5	768.8
Diseases of the heart	230.2	249.4	245.9	254.9
Diabetes mellitus	24.6	27.6	27.2	28.1
Chronic obstructive pulmonary disease (COPD)	42.2	49.0	48.9	49.3
Unintentional Injuries (including motor vehicle traffic)	34.7	51.9	48.1	57.8
Suicide	10.3	13.4	13.0	14.1

\* Estimates for metropolitan counties compared to all non-metropolitan counties differ significantly at  $p \leq 0.05$  for all indicators.

\*\* Non-CBSA=Non-Core Based Statistical Area