

Access to Health Services*				
Data from the Behavioral Risk Factor Surveillance System, 2008 (http://www.cdc.BRFSS/)				
	Metropolitan	Non-Metropolitan		
	% of popn	All Non-Metro	Micropolitan	Non-CBSA**
No form of health coverage (age 18-64 years)	17.0	20.6	19.9	22.0
Needed to see doctor but could not because of cost—past year	13.6	15.6	14.9	16.9
No personal doctor	19.3	18.1	17.8	18.5
No dental care in previous year	28.3	35.6	34.7	37.1
Health Behavior/Risk Factors*				
Data from the Behavioral Risk Factor Surveillance System, 2008 (http://www.cdc.BRFSS/)				
	Metropolitan	Non-Metropolitan		
	% of popn	All Non-Metro	Micropolitan	Non-CBSA
Current Smoker	17.8	22.0	21.7	22.6
Obese (Body Mass Index ≥30)	25.9	30.5	30.5	30.5
Age-Adjusted Mortality*				
Data from National Vital Statistics Compressed Mortality, 1999-2006 (http://wonder.cdc.gov/)				
	Metropolitan	Non-Metropolitan		
	Per 100,000 popn	All Non-Metro	Micropolitan	Non-CBSA
All-cause	823.1	893.8	884.4	908.4
Infant (age<1)	690.9	755.0	746.5	768.8
Diseases of the heart	230.2	249.4	245.9	254.9
Diabetes mellitus	24.6	27.6	27.2	28.1
Chronic obstructive pulmonary disease (COPD)	42.2	49.0	48.9	49.3
Unintentional Injuries (including motor vehicle traffic)	34.7	51.9	48.1	57.8
Suicide	10.3	13.4	13.0	14.1

* Estimates for metropolitan counties compared to all non-metropolitan counties differ significantly at p≤0.05 for all indicators.

** Non-CBSA=Non-Core Based Statistical Area